

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Mirror Mirror

Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-32018 18"	3000K 90	TT Titanium	17W	1700	757	YES

Example: **WS-32018-TT**

DESCRIPTION

Framed Light. Mirrored to reflect luxury finishes in a well appointed space.

FEATURES

- Matte finish with mirror insert
- Driver conceals within the canopy
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%, 0-10V: 100-5%, TRIAC: 100-5%
Rated Life:	50000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24: 2019 Damp Location Listed
Construction:	Aluminum hardware with PC diffuser




FINISHES



Titanium

LINE DRAWING



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Mirror Mirror

Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-32027 27"	3000K 90	TT Titanium	22W	2500	1120	YES

Example: **WS-32027-TT**

DESCRIPTION

Framed Light. Mirrored to reflect luxury finishes in a well appointed space.

FEATURES

- Matte finish with mirror insert
- Driver conceals within the canopy
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%, 0-10V: 100-5%, TRIAC: 100-5%
Rated Life:	50000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24: 2019 Damp Location Listed
Construction:	Aluminum hardware with PC diffuser




FINISHES



Titanium

LINE DRAWING



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Mirror Mirror

Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-32037 37"	3000K 90	TT Titanium	31W	3500	1575	YES

Example: **WS-32037-TT**

DESCRIPTION


Framed Light. Mirrored to reflect luxury finishes in a well appointed space.

FEATURES

- Matte finish with mirror insert
- Driver conceals within the canopy
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%, 0-10V: 100-5%, TRIAC: 100-5%
Rated Life:	50000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24: 2019 Damp Location Listed
Construction:	Aluminum hardware with PC diffuser



FINISHES



Titanium

LINE DRAWING

