

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## 120V 3-CCT Puck Light

### Undercabinet Task Luminaire

Model	Color Temp & CRI	Finish	Lumens
HR-AC70 120 VAC - 1 Single Wired Puck Light	2700K/3000K/3500K 90	BK Black	240
		BN Brushed Nickel	240
		WT White	240

Example: **HR-AC70-CS-BK**

#### FEATURES


- 3-CCT Switchable between 2700K and 3500K
- Integrated LED
- Recessed or surface mounting
- Quick and easy installation
- Link up to 20 puck lights per run
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS

Color Temp:	2700K/3000K/3500K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Die-cast aluminum with Acrylic Diffuser



#### FINISHES



# WAC LIGHTING

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## 120V 3-CCT Puck Light Undercabinet Task Luminaire

Model	Color Temp & CRI	Finish	Lumens
HR-AC71 120 VAC - 1 Single Wired Puck Light w/ Cord	2700K/3000K/3500K 90	BK Black	240
		BN Brushed Nickel	240
		WT White	240

Example: **HR-AC71-CS-BK**

### FEATURES


- 3-CCT Switchable between 2700K and 3500K
- Integrated LED
- Recessed or surface mounting
- Quick and easy installation
- Link up to 20 puck lights per run
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS


Color Temp:	2700K/3000K/3500K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Die-cast aluminum with Acrylic Diffuser



### FINISHES



### LINE DRAWING



Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## 120V 3-CCT Puck Light

### Undercabinet Task Luminaire

Model	Color Temp & CRI	Finish	Lumens
HR-AC72 120 VAC - 1 Puck Lights w/ Double Wire	2700K/3000K/3500K 90	BK Black	240
		BN Brushed Nickel	240
		WT White	240

Example: **HR-AC72-CS-BK**

#### FEATURES


- 3-CCT Switchable between 2700K and 3500K
- Integrated LED
- Recessed or surface mounting
- Quick and easy installation
- Link up to 20 puck lights per run
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS


Color Temp:	2700K/3000K/3500K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Die-cast aluminum with Acrylic Diffuser



#### FINISHES



#### LINE DRAWING



# WAC LIGHTING

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## 120V 3-CCT Puck Light Undercabinet Task Luminaire

Model	Color Temp & CRI	Finish	Lumens
HR-AC73 120 VAC - Puck Light Kit- 2 Double Wire Lights, 1 Single Wire Lights, and Cord	2700K/3000K/3500K 90	BK Black	240 X 3
		BN Brushed Nickel	240 X 3
		WT White	240 X 3

### FEATURES HR-AC73-CS-BK

- 3-CCT Switchable between 2700K and 3500K
- Integrated LED
- Recessed or surface mounting
- Quick and easy installation
- Link up to 20 puck lights per run
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	2700K/3000K/3500K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Die-cast aluminum with Acrylic Diffuser



### FINISHES

