

WAC LIGHTING

120V 3-CCT Puck Light

Undercabinet Task Luminaire

Model	Color Temp & CRI	Finish	Lumens
HR-AC70 120 VAC - 1 Single Wired Puck Light	2700K/3000K/3500K - 90	BK Black BN Brushed Nickel WT White	290

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

Example: **HR-AC70-CS-WT**

For custom requests please contact customs@wacighting.com

FEATURES


- 3-CCT Switchable between 2700K and 3500K
- Integrated LED
- Recessed or surface mounting
- Quick and easy installation
- Link up to 20 puck lights per run
- WT finish: Prevents microbial growth on the surface of the fixture
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	2700K/3000K/3500K
Input:	120 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	50,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Die-cast aluminum with Acrylic Diffuser



FINISHES:



WAC LIGHTING

120V 3-CCT Puck Light

Undercabinet Task Luminaire

Model	Color Temp & CRI	Finish	Lumens
HR-AC71 120 VAC - 1 Single Wired Puck Light w/ Cord	2700K/3000K/3500K - 90	BK Black BN Brushed Nickel WT White	290

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

Example: **HR-AC71-CS-WT**

For custom requests please contact customs@wacighting.com

FEATURES


- 3-CCT Switchable between 2700K and 3500K
- Integrated LED
- Recessed or surface mounting
- Quick and easy installation
- Link up to 20 puck lights per run
- WT finish: Prevents microbial growth on the surface of the fixture
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS


Color Temp:	2700K/3000K/3500K
Input:	120 VAC, 50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	50,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Die-cast aluminum with Acrylic Diffuser



FINISHES:



LINE DRAWING



WAC LIGHTING

120V 3-CCT Puck Light

Undercabinet Task Luminaire

Model	Color Temp & CRI	Finish	Lumens
HR-AC72 120 VAC - 1 Puck Lights w/ Double Wire	2700K/3000K/3500K - 90	BK Black BN Brushed Nickel WT White	290

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

Example: **HR-AC72-CS-WT**

For custom requests please contact customs@wacighting.com

FEATURES


- 3-CCT Switchable between 2700K and 3500K
- Integrated LED
- Recessed or surface mounting
- Quick and easy installation
- Link up to 20 puck lights per run
- WT finish: Prevents microbial growth on the surface of the fixture
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS


Color Temp:	2700K/3000K/3500K
Input:	120 VAC, 50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	50,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Die-cast aluminum with Acrylic Diffuser



FINISHES:



LINE DRAWING



WAC LIGHTING

120V 3-CCT Puck Light

Undercabinet Task Luminaire

Model	Color Temp & CRI	Finish	Lumens
HR-AC73 120 VAC - Puck Light Kit- 2 Double Wire Lights, 1 Single Wire Lights, and Cord	2700K/3000K/3500K - 90	BK Black BN Brushed Nickel WT White	290 X 3

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

Example: **HR-AC73-CS-WT**

For custom requests please contact customs@wacighting.com

FEATURES


- 3-CCT Switchable between 2700K and 3500K
- Integrated LED
- Recessed or surface mounting
- Quick and easy installation
- Link up to 20 puck lights per run
- WT finish: Prevents microbial growth on the surface of the fixture
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	2700K/3000K/3500K
Input:	120 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	50,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Die-cast aluminum with Acrylic Diffuser



FINISHES:






WAC LIGHTING

120V 3-CCT Puck Light

Undercabinet Task Luminaire

Fixture Type: _____
 Catalog Number: _____
 Project: _____
 Location: _____

ACCESSORIES

	<i>Model</i>	<i>Description</i>	<i>Finish</i>
	HR-IC36-WT HR-IC36-BK HR-IC24-WT HR-IC24-BK HR-IC12-WT HR-IC12-BK	Interconnect Cable Interconnect Cable Interconnect Cable Interconnect Cable Interconnect Cable Interconnect Cable	White Black White Black White Black
	HR-PC6-WT HR-PC6-BK	Power Cord Power Cord	White Black
	HR-HWB-WT HR-HWB-BK	Hardwire Box Hardwire Box	White Black