

WAC LIGHTING

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Paloma LED523 24W W Track Luminaire

System Type & Voltage	Model	Color Temp & CRI	Lumens	CBCP	Finish
WTK-120 VAC	LED523	27 2700K - 85	1340	6840	BK Black
WHK-277 VAC		30 3000K - 85	1500	7595	PT Platinum
		35 3500K - 85	1495	7280	WT White
		40 4000K - 85	1600	7650	
		927 2700K - 90	1260	6515	
		930 3000K - 90	1350	6635	

Example: **WHK-LED523-27-BK**

DESCRIPTION

Museum-quality LED luminaire with adjustable beam angle. Designed for use on W track systems (120V, 277V).

FEATURES

- Twist to adjust beam angle between 15° - 60°
- 365° horizontal rotation and 180° vertical aiming
- Driver hidden inside W track
- Integral selector to choose between independently controllable track circuits
- Comparable to 20W HID
- Driver concealed within the fixture
- 5 year warranty

SPECIFICATIONS

Construction:	Die-cast aluminum with cap ring.
Power:	24W
Input:	120 VAC, 277 VAC, 50/60Hz
Dimming:	ELV: 100-10%
Light Source:	Integrated LED 3 Step Mac Adam Ellipse
Rated Life:	50000 Hours
Finish:	Electrostatically Powder Coated White, Platinum, Black
Operating Temp:	-4°F to 104°F (-20°C to 40°C)
Standards:	ETL, cETL, Dry Location Listed



FINISHES



LINE DRAWING

