

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Napa

Pendant 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PD-42909 9"	3000K 90	BK Black	15W	1200	620	YES

Example: **PD-42909-BK**

DESCRIPTION

Timeless sophistication meets modern technology

FEATURES

- Three 12" and one 6" downrods included (additional downrods available)
- Can be mounted on a slope ceiling
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24: 2019
	Damp Location Listed
Construction:	Steel and aluminum hardware with acrylic diffuser

REPLACEMENT PARTS

- RPL-ROD-OUT06-BK - 6" rod - BK finish
- RPL-ROD-OUT12-BK - 12" rod - BK finish




FINISHES



Black

LINE DRAWING



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Napa

Pendant 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PD-42912 12"	3000K 90	BK Black	16W	1400	790	Yes

Example: **PD-42912-BK**

DESCRIPTION

Timeless sophistication meets modern technology

FEATURES

- Three 12" and one 6" downrods included (additional downrods available)
- Can be mounted on a slope ceiling
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24: 2019
	Damp Location Listed
Construction:	Steel and aluminum hardware with acrylic diffuser

REPLACEMENT PARTS

- RPL-ROD-OUT06-BK - 6" rod - BK finish
- RPL-ROD-OUT12-BK - 12" rod - BK finish




FINISHES



Black

LINE DRAWING



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Napa

Pendant 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PD-42918 18"	3000K 90	BK Black	25W	2400	1365	Yes

Example: **PD-42918-BK**

DESCRIPTION

Timeless sophistication meets modern technology

FEATURES

- Three 12" and one 6" downrods included (additional downrods available)
- Can be mounted on a slope ceiling
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	50000 Hours
Standards:	ETL, cETL, Title 24: 2019
	Damp Location Listed
Construction:	Steel and aluminum hardware with acrylic diffuser

REPLACEMENT PARTS

- RPL-ROD-OUT06-BK - 6" rod - BK finish
- RPL-ROD-OUT12-BK - 12" rod - BK finish



FINISHES



Black

LINE DRAWING

