

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Manhattan Wall Sconce 2700K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-13107 7"	2700K 90	AB Aged Brass	5.5W	439	238	Yes
	2700K 90	BN Brushed Nickel	6W	284	110	No
	2700K 90	BO Brushed Bronze	6W	284	110	No
	2700K 90	BR Brushed Brass	6W	284	110	No
	2700K 90	PN Polished Nickel	6W	284	110	No

Example: **WS-13107-AB**

- For 277V special order, add an "F" before the finish: WS-13107F-AB

DESCRIPTION

Urban chic sophistication.

FEATURES

- Trimless fabric shade illuminates evenly
- Etched glass diffuser on the top and below
- Urban elegance and LED illumination softened with a fabric shade.
- Title 24 may not be available for all finishes, check for availability
- Transformer option for non-Title 24 fixture only
- Transformer installed within the Junction Box, transformer dimension: 2.00" x 1.38" x 1.02"
- 5 year warranty

SPECIFICATIONS


Color Temp:	2700K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	80000 Hours, 50000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant, Title 24: Dry Location Listed, Damp Location Listed
Construction:	Aluminum hardware with fabric diffuser and etched glass

REPLACEMENT PARTS


- RPL-SHA-13107-01 - 7" shade
- RPL-GLA-13107-01 - Bottom glass
- RPL-GLA-13107-02 - Outer glass



FINISHES



LINE DRAWING



WS-13107

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Manhattan Wall Sconce 2700K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-13115 15"	2700K 90	AB Aged Brass	10W	842	446	Yes
	2700K 90	BN Brushed Nickel	10.5W	566	250	No
	2700K 90	BO Brushed Bronze	10.5W	566	250	No
	2700K 90	BR Brushed Brass	10.5W	566	250	No
	2700K 90	PN Polished Nickel	10.5W	566	250	No

Example: **WS-13115-AB**

- For 277V special order, add an "F" before the finish: WS-13107F-AB

DESCRIPTION

Urban chic sophistication.

FEATURES

- Trimless fabric shade illuminates evenly
- Etched glass diffuser on the top and below
- Urban elegance and LED illumination softened with a fabric shade.
- Title 24 may not be available for all finishes, check for availability
- Transformer option for non-Title 24 fixture only
- Transformer installed within the Junction Box, transformer dimension: 2.00" x 1.38" x 1.02"
- 5 year warranty

SPECIFICATIONS


Color Temp:	2700K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	80000 Hours, 50000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant, Title 24: Dry Location Listed, Damp Location Listed
Construction:	Aluminum hardware with fabric diffuser and etched glass

REPLACEMENT PARTS


- RPL-SHA-13115-01 - 15" shade
- RPL-GLA-13115-01 - Bottom glass
- RPL-GLA-13115-02 - Outer glass



FINISHES



LINE DRAWING



WS-13115

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Manhattan Wall Sconce 2700K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-13122 22"	2700K 90	AB Aged Brass	15.9W	1265	729	Yes
	2700K 90	BN Brushed Nickel	15.5W	851	365	No
	2700K 90	BO Brushed Bronze	15.5W	851	365	No
	2700K 90	BR Brushed Brass	15.5W	851	365	No
	2700K 90	PN Polished Nickel	15.5W	851	365	No

Example: **WS-13122-AB**

- For 277V special order, add an "F" before the finish: WS-13107F-AB

DESCRIPTION

Urban chic sophistication.

FEATURES

- Trimless fabric shade illuminates evenly
- Etched glass diffuser on the top and below
- Urban elegance and LED illumination softened with a fabric shade.
- Title 24 may not be available for all finishes, check for availability
- Transformer option for non-Title 24 fixture only
- Transformer installed within the Junction Box, transformer dimension: 2.00" x 1.38" x 1.02"
- 5 year warranty

SPECIFICATIONS


Color Temp:	2700K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	80000 Hours, 50000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant, Title 24: Dry Location Listed, Damp Location Listed
Construction:	Aluminum hardware with fabric diffuser and etched glass

REPLACEMENT PARTS

- RPL-SHA-13122-01 - 22" shade
- RPL-GLA-13122-01 - Bottom glass
- RPL-GLA-13122-02 - Outer glass



FINISHES



LINE DRAWING

