

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Finish | Watt | LED Lumens | Delivered Lumens | Title 24 |
|--------------|------------------|---------------------|-------|------------|------------------|----------|
| WS-35819 19" | 3000K 90 | AL Brushed Aluminum | 16.5W | 1276 | 787 | Yes |
| | 3000K 90 | WT White | 16.5W | 1276 | 787 | Yes |

Example: **WS-35819-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.

FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS


| | |
|----------------------|--|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on ceiling or wall in all orientations |
| Standards: | ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |



FINISHES



LINE DRAWING



WS-35819

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Finish | Watt | LED Lumens | Delivered Lumens | Title 24 |
|--------------|------------------|---------------------|------|------------|------------------|----------|
| WS-35825 25" | 3000K 90 | AL Brushed Aluminum | 22W | 1708 | 1054 | Yes |
| | 3000K 90 | WT White | 22W | 1708 | 1054 | Yes |

Example: **WS-35825-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.


FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty


SPECIFICATIONS

| | |
|----------------------|--|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on ceiling or wall in all orientations |
| Standards: | ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |

FINISHES



LINE DRAWING



WS-35825

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Finish | Watt | LED Lumens | Delivered Lumens | Title 24 |
|--------------|------------------|---------------------|------|------------|------------------|----------|
| WS-35837 37" | 3000K 90 | AL Brushed Aluminum | 34W | 2585 | 1595 | Yes |
| | 3000K 90 | WT White | 34W | 2585 | 1595 | Yes |

Example: **WS-35837-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.

FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty


SPECIFICATIONS

| | |
|----------------------|--|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on ceiling or wall in all orientations |
| Standards: | ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |

FINISHES



LINE DRAWING



WS-35837

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Finish | Watt | LED Lumens | Delivered Lumens | Title 24 |
|--------------|------------------|---------------------|------|------------|------------------|----------|
| WS-35849 49" | 3000K 90 | AL Brushed Aluminum | 44W | 3399 | 2097 | Yes |
| | 3000K 90 | WT White | 44W | 3399 | 2097 | Yes |

Example: **WS-35849-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.

FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty


SPECIFICATIONS

| | |
|----------------------|--|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on ceiling or wall in all orientations |
| Standards: | ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |

FINISHES



LINE DRAWING



WS-35849

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Finish | Watt | LED Lumens | Delivered Lumens | Title 24 |
|--------------|------------------|---------------------|------|------------|------------------|----------|
| WS-35861 61" | 3000K 90 | AL Brushed Aluminum | 53W | 3610 | 2228 | Yes |
| | 3000K 90 | WT White | 53W | 3610 | 2228 | Yes |

Example: **WS-35861-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.

FEATURES


- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS



| | |
|----------------------|--|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on ceiling or wall in all orientations |
| Standards: | ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |



FINISHES



LINE DRAWING



WS-35861

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Finish | Watt | LED Lumens | Delivered Lumens | Title 24 |
|--------------|------------------|---------------------|------|------------|------------------|----------|
| WS-35873 73" | 3000K 90 | AL Brushed Aluminum | 64W | 4912 | 3031 | Yes |
| | 3000K 90 | WT White | 64W | 4912 | 3031 | Yes |

Example: **WS-35873-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.


FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty


SPECIFICATIONS

| | |
|----------------------|--|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on ceiling or wall in all orientations |
| Standards: | ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |

FINISHES



LINE DRAWING



WS-35873

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Finish | Watt | LED Lumens | Delivered Lumens | Title 24 |
|--------------|------------------|---------------------|------|------------|------------------|----------|
| WS-35897 97" | 3000K 90 | AL Brushed Aluminum | 84W | 6458 | 3985 | Yes |
| | 3000K 90 | WT White | 84W | 6458 | 3985 | Yes |

Example: **WS-35897-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.


FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty


SPECIFICATIONS

| | |
|----------------------|--|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on ceiling or wall in all orientations |
| Standards: | ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |

FINISHES



LINE DRAWING



WS-35897